

COVID-19: Impact of Childhood Obesity on Health Outcomes



A Resource for Improving Measurable Impact
October 12, 2020

Key Findings:

Childhood obesity is linked to worse outcomes from COVID-19

- Obesity is a risk factor for hospitalization and mechanical ventilation from COVID-19 among children.¹⁻³ One study demonstrated that obesity was the **strongest risk factor for mechanical ventilation** among children ages two years or older with COVID-19.³

Prevalence of childhood obesity is growing across the U.S.⁴

- Texas has the **5th highest rate** of adolescent obesity and **19th highest rate** of childhood obesity according to the most recent (2017-2018) national data estimate from the National Survey of Children's Health.⁵

Minority youth are at risk

- In Texas, Hispanic and Black children have nearly twice the rate of obesity compared to non-Hispanic white children.⁶

Stay-at-home orders impact healthy habits

- During stay-at-home orders, youth have reported more physical inactivity, sedentary behavior, and consumption of unhealthy foods and sugar-sweetened beverages – all of which increase risk for weight gain.⁷⁻⁹

Health behaviors persist into adulthood

- Poor health behaviors in childhood increase lifetime risk for serious conditions like obesity and diabetes.^{9,10}

Telemedicine can reduce barriers to care during the pandemic

- Chronic disease management requires frequent interactions with healthcare teams. Telemedicine ensures continuity of care for youth with obesity.¹¹

Impact of Obesity on COVID-19 Outcomes:

- As of September 24, 2020, children and adolescents accounted for 10.5% (624,890/5,965,268) of U.S. COVID-19 cases.¹²
- As of September 26, 2020, the CDC reported that among 243 children hospitalized with COVID-19 and known condition status, 52.7% had an underlying health condition. The most common conditions included obesity (44.5%), asthma (14.0%), and neurologic conditions (13.2%).¹³
- Severe obesity is an even higher risk for COVID-19 complications among children.¹⁴

Impact of COVID-19 on Obesity:

Studies indicate the pandemic and stay-at-home orders are impacting child health behaviors related to obesity.⁹

- During stay-at-home orders, children and adolescents have:^{7,9}
 - Decreased time spent playing sports and participating in physical activity
 - Increased sedentary time and screen time
 - Increased consumption of sugar-sweetened beverages and unhealthy foods
- Socioeconomic inequities may be exacerbated by COVID-19, as many families have limited resources available to purchase healthy foods and exercise at home during lockdowns.^{9,15,16}

Mitigation & Prevention Recommendations:

Improve access to healthcare:

- Enhance telehealth infrastructure for screening, prevention and treatment of obesity.¹⁷ Telemedicine can be an effective approach for multidisciplinary teams to provide care to youth with obesity – especially during COVID-19 – by reducing travel barriers, building trust with healthcare providers, and ensuring continuity of care.^{8,11}

Promote healthy habits:

- Strengthen nutrition education, opportunities for physical activity, and availability of healthy foods in schools, early childhood, and afterschool programs.^{5,17,18}
- Expand availability of resources to support the use of evidence-based childhood obesity prevention programs.^{17,18}
- At the individual level, children and adolescents should participate in 60 minutes of physical activity each day, eat a variety of healthy foods, limit sedentary screen time, and get enough sleep each night to promote physical and emotional health.^{8, 19-22}

Summary:

Though COVID-19 infections remain low in younger populations, children with obesity are at greater risk for hospitalization and mechanical ventilation from COVID-19. Moreover, stay-at-home orders are affecting health behaviors associated with weight gain and obesity among children, including poor dietary habits and physical inactivity. Recommendations include supporting telemedicine to coordinate care for youth with obesity, strengthening school- and community-based efforts to promote healthy eating and physical activity, and reinforcing COVID-19 prevention efforts in childcare centers and schools.

TX RPC Network Member Content Experts

Deanna Hoelscher, PhD, RDN, LD, CNS, FISBNPA

The University of Texas Health Science Center at Houston (UTHealth) School of Public Health in Austin

Alexandra van den Berg, PhD, MPH

The University of Texas Health Science Center at Houston (UTHealth) School of Public Health in Austin

Shreela Sharma, PhD, RD, LD

The University of Texas Health Science Center at Houston (UTHealth) School of Public Health in Houston

Sarah Messiah, PhD, MPH

The University of Texas Health Science Center at Houston (UTHealth) School of Public Health in Dallas

Emily Dhurandhar, PhD

Metabologix, LLC

Belinda Reininger, DrPH

The University of Texas Health Science Center at Houston (UTHealth) School of Public Health in Brownsville

Leah Whigham, PhD, FTOS

The University of Texas Health Science Center at Houston (UTHealth) School of Public

References:

1. Derespina, K. R., Kaushik, S., Plichta, A., Conway Jr, E. E., Bercow, A., Choi, J., Eisenberg, R., Gillen, J., Sen, A.I., Hennigan, C.M. & Zerihun, L. M. (2020). Clinical Manifestations and Outcomes of Critically Ill Children and Adolescents with Coronavirus Disease 2019 in New York City. *The Journal of Pediatrics*.
2. Kim, L., Whitaker, M., O'Halloran, A., Kambhampati, A., Chai, S. J., Reingold, A., Armistead, I., Kawasaki, B., Meek, J., Yousey-Hindes, K., & Anderson, E. J. (2020). Hospitalization rates and characteristics of children aged < 18 years hospitalized with laboratory-confirmed COVID-19—COVID-NET, 14 States, March 1–July 25, 2020. *Morbidity and Mortality Weekly Report*, 69(32), 1081.
3. Zachariah, P., Johnson, C. L., Halabi, K. C., Ahn, D., Sen, A. I., Fischer, A., Banker, S.L., Giordano, M., Manice, C.S., Diamond, R., & Sewell, T. B. (2020). Epidemiology, Clinical Features, and Disease Severity in Patients With Coronavirus Disease 2019 (COVID-19) in a Children's Hospital in New York City, New York. *JAMA Pediatrics*, e202430-e202430.
4. An, R. (2020). Projecting the Impact of the Coronavirus disease-19 Pandemic on Childhood Obesity in the United States: A Microsimulation Model. *Journal of sport and health science*, S2095-2546.
5. The Robert Wood Johnson Foundation and Trust for America's Health. (2019). *The State of Obesity in Texas*. Retrieved from <https://stateofchildhoodobesity.org/states/tx/>.
6. The Michael & Susan Dell Center for Healthy Living. (2019). *Healthy Children, Healthy State: Child Obesity Crisis in Texas*. Retrieved from <https://sph.uth.edu/research/centers/dell/resources/Child%20Obesity%20Crisis%20FINAL.pdf>.
7. Pietrobelli, A., Pecoraro, L., Ferruzzi, A., Heo, M., Faith, M., Zoller, T., Antoniazzi, F., Piacentini, G., Fearnbach, S.N., & Heymsfield, S. B. (2020). Effects of COVID-19 lockdown on lifestyle behaviors in children with obesity living in Verona, Italy: a longitudinal study. *Obesity*.

8. Silva, C. A., Queiroz, L. B., Fonseca, C. D. B., Silva, L. E. V. D., Lourenço, B., & Marques, H. H. S. (2020). Spotlight for healthy adolescents and adolescents with preexisting chronic diseases during the COVID-19 pandemic. *Clinics*, 75. doi:10.6061/clinics/2020/e1931
9. Dunton, G., Do, B., & Wang, S. (2020). Early Effects of the COVID-19 Pandemic on Physical Activity and Sedentary Behavior in US Children.
10. Rundle, A. G., Park, Y., Herbstman, J. B., Kinsey, E. W., & Wang, Y. C. (2020). COVID-19–Related School Closings and Risk of Weight Gain Among Children. *Obesity*.
11. O'Hara, V. M., Johnston, S. V., & Browne, N. T. (2020). The paediatric weight management office visit via telemedicine: pre-to post-COVID-19 pandemic. *Pediatric obesity*, 15(8), e12694.
12. American Academy of Pediatrics and the Children's Hospital Association. (2020, September 24). Children and COVID-19: State Data Report. Retrieved from <https://downloads.aap.org/AAP/PDF/AAP%20and%20CHA%20-%20Children%20and%20COVID-19%20State%20Data%20Report%209.24.20%20FINAL.pdf>.
13. Centers for Disease Control and Prevention (CDC). (2020, August 8). COVIDView: A Weekly Surveillance Summary of U.S. COVID-19 Activity. Atlanta, GA: U.S Department of Health and Human Services. Retrieved from <https://www.cdc.gov/coronavirus/2019-ncov/covid-data/pdf/covidview-08-14-2020.pdf>.
14. Messiah, S. E., Xie, L., Atem, F., Mathew, S. M., Qureshi, F., Schneider, B. E., & Muñoz, N. C. (2020). Disparity Between United States Adolescent Class II and III Obesity Trends and Bariatric Surgery Utilization, 2015-2018. *Annals of Surgery*.
15. Sallis, J. F., Adlakha, D., Oyeyemi, A., & Salvo, D. (2020). An international physical activity and public health research agenda to inform COVID-19 policies and practices. *Journal of Sport and Health Science*.
16. Van Lancker, W., & Parolin, Z. (2020). COVID-19, school closures, and child poverty: a social crisis in the making. *The Lancet Public Health*, 5(5), e243-e244.
17. Texas Department of State Health Services. (2018). Department of State Health Services Obesity Prevention Program Priority Objectives 2016-2021. Retrieved from https://www.dshs.texas.gov/obesity/pdf/OPP_StratPlan_01032018.pdf
18. Staples, T., Lakey, D., & Williams, M. (2015). A Report to the Texas Legislature from the Interagency Obesity Council. Retrieved from https://dshs.texas.gov/uploadedFiles/Content/Prevention_and_Preparedness/obesity/2015_InteragencyObesityReport_Final.pdf
19. Calcaterra, V., Vandoni, M., Pellino, V. C., & Cena, H. (2020). Special Attention to Diet and Physical Activity in Children and Adolescents With Obesity During the Coronavirus Disease-2019 Pandemic. *Frontiers in Pediatrics*, 8, 407.
20. World Health Organization. (2020). Healthy at Home – Physical Activity. Retrieved from <https://www.who.int/news-room/campaigns/connecting-the-world-to-combat-coronavirus/healthyathome/healthyathome---physical-activity>
21. Nagata, J. M., Abdel Magid, H. S., & Gabriel, K. P. (2020). Screen time for children and adolescents during the COVID-19 pandemic. *Obesity*.
22. Ribeiro, K. D. D. S., Garcia, L. R. S., Dametto, J. F. D. S., Assunção, D. G. F., & Maciel, B. L. L. (2020). COVID-19 and Nutrition: The Need for Initiatives to Promote Healthy Eating and Prevent Obesity in Childhood. *Childhood Obesity*.